


## LED Magnetic Poster Frame

Illuminated Displays | LED Poster Frames



### LED Magnetic Poster Frame



- state of the art designed LED Poster Frame • stunning eye catching illuminated presentation • daylight color temperature (5000 K) illumination • magnetic strip - very simple poster change • top quality and elegant frameless look • great in combination with T-Frames • non-standard sizes on request

### Magnetischer LED Posterrahmen

- bewährte LED Technik • auffällige, beleuchtete Präsentation • Tageslicht-Farbtemperatur (5000 K) Beleuchtung • sehr einfacher Posterwechsel durch Magnettechnik • hochwertiger und eleganter, rahmenloser Look • ideal in Kombination mit T-Frame • andere Formate auf Anfrage

**LED Magnetic Poster Frame**


Illuminated Displays | LED Poster Frames



**ACCESSORIES  
ZUBEHÖR**



(SOSSET)  
SET OF SCREWS  
SCHRAUBENSET



## LED Magnetic Poster Frame

Illuminated Displays | LED Poster Frames



Article code	EAN / GTIN	Poster size	Visible size	Size (A x B x C)	Power	Net weight
Artikelcode	EAN / GTIN	Plakatformat	Sichtmaß	Größe (A x B x C)	Leistung	Netto Gewicht
PMLEDA2	8596052022630	A2 (420 x 594 mm)	408 x 582 mm	462 x 636 x 31 mm	24 W	0,00 kg
PMLEDA1	8596052021671	A1 (594 x 841 mm)	582 x 829 mm	636 x 883 x 31 mm	36 W	0,00 kg
PMLEDA0	8596052021695	A0 (841 x 1189 mm)	829 x 1177 mm	883 x 1231 x 31 mm	48 W	0,00 kg
PMLED50x70	8596052022623	500 x 700 mm	488 x 688 mm	542 x 742 x 31 mm	24 W	0,00 kg
PMLED70x100	8596052021701	700 x 1000 mm	688 x 988 mm	742 x 1042 x 31 mm	36 W	0,00 kg
PMLED100x140	8596052021718	1000 x 1400 mm	988 x 1388 mm	1042 x 1442 x 31 mm	72 W	0,00 kg

Article code	Packing size	Packing weight	Pcs / Pallet	Weight of pallet	Volumetric weight	Belt size	Shipping
Artikelcode	Verpackungsgröße	Versandgewicht	Stck / Palette	Paletten-gewicht	Volumen-gewicht	Gurtmaß	Versandart
PMLEDA2	532 x 777 x 85 mm	0,0 kg	46	0 kg	7,02 kg	2011 mm	UPS
PMLEDA1	707 x 1022 x 85 mm	0,0 kg	25	0 kg	12,28 kg	2606 mm	UPS
PMLEDA0	957 x 1372 x 85 mm	0,0 kg	9	0 kg	22,32 kg	3456 mm	TOF
PMLED50x70	642 x 892 x 85 mm	0,0 kg	30	0 kg	9,73 kg	2346 mm	UPS
PMLED70x100	812 x 1182 x 85 mm	0,0 kg	18	0 kg	16,32 kg	2976 mm	TOF
PMLED100x140	1187 x 1677 x 102 mm	0,0 kg	7	0 kg	40,61 kg	4255 mm	TOF